



中新清城环境
CS TSINGCHENG ENVIRONMENT



211012342063



检测报告

Test Report

报告编号: QCHJ202503813

检测类别

委托检测

样品类别

环境空气

委托单位

中新苏伊士环保技术(苏州)有限公司

中新苏州工业园区清城环境发展有限公司

CS SIP Tsingcheng Environment Development Co. LTD



声 明

Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签字无效。

This report is invalid without special seal of analysis, cross-page seal and approver's signatures.

2. 委托单位对报告数据如有异议，请于报告完成之日起十五日内向本单位书面提出复测申请，同时附上报告原件。

If the client has any questions about the results, please provide a written retest application with the original report to Tsingcheng within fifteen days since the final approval date of the report.

3. 委托单位对样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。

The client is responsible for the representativeness of the provided samples and the authenticity of the document. Otherwise, Tsingcheng will not bear any relevant responsibilities.

4. 本报告对所测样品负责，报告数据仅反映对所测样品的评价，对于报告所载内容的使用、使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律后果。

This report is only responsible for the provided samples. The test results only represent the evaluation of the tested samples. Tsingcheng will not be responsible for any economical or legal liability generated from direct or indirect usage of the test report.

5. 本单位有权在完成报告后按规定方式处理所测样品。

Tsingcheng has the right to dispose the tested sample by rules, after approval of the test report.

6. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。

Tsingcheng guarantees the objectivity and impartiality of the test, and fulfills the obligation of confidentiality for our clients' business secrets including commercial information and technique documents.

7. 本报告未经本单位书面许可，不得用于广告。

The report cannot be used for advertising without the written permission of Tsingcheng.

8. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制（全文复制除外）或以其他任何形式的篡改均属无效，本单位将对上述行为严究其相应的法律责任。

The illegal transfer, misappropriation, fraudulent use, alteration, copying (except full-text copying) of this report without the approval of Tsingcheng or any other form of tampering are invalid. Tsingcheng shall strictly investigate and affix the corresponding legal responsibilities for the above-mentioned actions.



全国服务热线
400-0512-092

地 址：中国 江苏省 苏州工业园区展业路 18 号 中新生态科技城 C-115


邮政编码：215021

电 话：0512-67069291

传 真：0512-67069379

网 址：www.tsingcheng.com

检测报告

委托单位	名称	中新苏伊士环保技术（苏州）有限公司	联系人	陶涛
	地址	苏州工业园区界浦路509号	联系电话	18261811343
受检单位	名称	中新苏伊士环保技术（苏州）有限公司	联系人	陶涛
	地址	苏州工业园区界浦路509号	联系电话	18261811343
检测目的		委托检测	委托编号	TCE2510247
样品类别		环境空气	样品状态	固态、液态
采样日期		2025.11.28~2025.11.30	采样人	李明、李成铭、李元清、刘琦
分析日期		2025.11.29~2025.12.05	样品来源	采样
检测环境条件		符合要求		
检测内容		环境空气：总悬浮颗粒物、氟化物、铅、汞、二氧化硫、氮氧化物、氯化氢		
检测依据		见第3页		
主要仪器设备		见第3页		
检测结果		见第2页		
备注		1、ND表示未检出，检出限详见附表1； 2、检测结果仅代表当时污染物排放状况。		
编制人		邵飞		
审核人		何峰		
批准人		沈佳洪		
签发日期		2025年12月25日		



检测结果

采样点位		项目地				印象欧洲				浦田村	
		2025.11.28~ 2025.11.29	2025.11.29~ 2025.11.30	2025.11.28~ 2025.11.29	2025.11.29~ 2025.11.30	2025.11.28~ 2025.11.29	2025.11.29~ 2025.11.30	2025.11.28~ 2025.11.29	2025.11.29~ 2025.11.30		
监测项目	监测日期										
总悬浮颗粒物	20:00~次日20:00	159	70	156	160	141	109				
氟化物 ($\mu\text{g}/\text{m}^3$)	20:00~21:00	ND	ND	ND	ND	ND	ND				
	02:00~03:00	ND	ND	ND	ND	ND	ND				
	08:00~09:00	ND	ND	ND	ND	ND	ND				
	14:00~15:00	ND	ND	ND	ND	ND	ND				
铅 ($\mu\text{g}/\text{m}^3$)	20:00~21:00	ND	ND	ND	ND	ND	ND				
	02:00~03:00	ND	ND	ND	ND	ND	ND				
	08:00~09:00	ND	ND	ND	ND	ND	ND				
	14:00~15:00	ND	ND	ND	ND	ND	ND				
汞 ($\mu\text{g}/\text{m}^3$)	20:00~21:00	ND	ND	ND	ND	ND	ND				
	02:00~03:00	ND	ND	ND	ND	ND	ND				
	08:00~09:00	ND	ND	ND	ND	ND	ND				
	14:00~15:00	ND	ND	ND	ND	ND	ND				
二氧化硫 (mg/m^3)	20:00~21:00	0.008	0.009	0.010	0.009	0.010	0.010	0.009	0.010	0.011	0.010
	02:00~03:00	0.009	0.010	0.008	0.008	0.008	0.011	0.008	0.011	0.008	
	08:00~09:00	0.010	0.007	0.010	0.009	0.010	ND	ND	0.010	0.010	
	14:00~15:00	0.008	0.007	0.009	0.007	0.009	0.008	0.008	0.008	0.007	
氮氧化物 (mg/m^3)	20:00~21:00	0.008	0.011	0.010	0.011	0.010	0.013	0.008	0.008	0.007	
	02:00~03:00	0.009	0.009	0.008	0.010	0.009	0.010	0.009	0.010	0.010	
	08:00~09:00	0.008	0.009	0.010	0.010	0.010	0.010	0.008	0.008	0.009	
	14:00~15:00	0.009	0.010	0.011	0.011	0.011	0.011	0.011	0.011	0.008	
氯化氢 (mg/m^3)	20:00~21:00	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	02:00~03:00	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	08:00~09:00	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	14:00~15:00	ND	ND	ND	ND	ND	ND	ND	ND	ND	

———本页以下空白———

附表1

检测项目方法仪器一览表

样品类别	检测项目	依据标准	方法 检出限	主要仪器	
				名称/型号	编号
环境空气	总悬浮颗粒物	环境空气 总悬浮颗粒物的测定 重量法 HJ 1263-2022	7 $\mu\text{g}/\text{m}^3$ (144 m^3)	恒温恒湿箱 /LHS-80F 分析天平/XS 205 恒温恒流大气/颗粒物采样器 /MH1205型	54604 51003 63707 63710 63711
	氟化物	环境空气 氟化物的测定 滤膜采样/氟离子选择电极法 HJ 955-2018	0.5 $\mu\text{g}/\text{m}^3$ (3000L)	酸度计/PHS-3E 高负压环境空气 颗粒物采样器 /ZR-3920G	32108 63718 63719 63720
	铅	空气和废气 颗粒物中金属元素的测定 电感耦合等离子体发射光谱法 HJ 777-2015	0.003 $\mu\text{g}/\text{m}^3$ (150 m^3)	电感耦合等离子体发射光谱仪 /ICP-710 恒温恒流大气/颗粒物采样器 /MH1205型 四气一尘综合大气采样器/EM-2068E	21101 63706 63708 63714
	汞	《空气和废气监测分析方法》(第四版增补版) 国家环境保护总局 (2003年)5.3.7.2	3 $\times 10^{-3}$ $\mu\text{g}/\text{m}^3$ (10 m^3)	原子荧光光度计 /AFS-8520 恒温恒流大气/颗粒物采样器 /MH1205型	24003 63709 63712 63713
	二氧化硫	环境空气 二氧化硫的测定 甲醛吸收-副玫瑰苯胺分光光度法 HJ 482-2009	0.007 mg/m^3 (30L)	紫外可见分光光度计/Cary 50 恒温恒流大气/颗粒物采样器 /MH1205型	22102 63709 63712 63713
	氮氧化物	环境空气 氮氧化物(一氧化氮和二氧化氮)的测定 盐酸萘乙二胺分光光度法 HJ 479-2009	0.005 mg/m^3 (24L)	紫外可见分光光度计/Cary 50 恒温恒流大气/颗粒物采样器 /MH1205型	22102 63709 63712 63713
	氯化氢	环境空气和废气 氯化氢的测定 离子色谱法 HJ 549-2016	0.02 mg/m^3 (60L)	离子色谱仪/ICS-1100 恒温恒流大气/颗粒物采样器 /MH1205型	13002 63709 63712 63713

结束

附件：

项目地点位							
监测日期	监测时间	大气压 (kPa)	温度 (°C)	风向	风速 (m/s)	天气状况	湿度 (%RH)
2025.11.28 ~ 2025.11.29	20:00~21:00	101.7	11.1	南风	2.1	晴	38
	02:00~03:00	101.6	8.3	南风	2.0	晴	81
	08:00~09:00	101.6	9.8	南风	2.0	晴	58
	14:00~15:00	101.5	20.3	南风	1.8	晴	31
2025.11.29 ~ 2025.11.30	20:00~21:00	101.5	12.2	西风	1.6	晴	40
	02:00~03:00	101.5	10.5	西风	1.5	晴	79
	08:00~09:00	101.5	12.0	西风	1.4	晴	76
	14:00~15:00	101.5	20.9	西风	1.6	晴	26
2025.11.28 ~ 2025.11.29	20:00~次日 20:00	101.7	11.1	南风	2.1	晴	38
2025.11.29 ~ 2025.11.30	20:00~次日 20:00	101.5	12.2	西风	1.6	晴	40

印象欧洲点位

监测日期	监测时间	大气压 (kPa)	温度 (°C)	风向	风速 (m/s)	天气状况	湿度 (%RH)
2025.11.28 ~ 2025.11.29	20:00~21:00	101.7	11.0	南风	2.1	晴	39
	02:00~03:00	101.6	8.3	南风	2.1	晴	80
	08:00~09:00	101.6	9.9	南风	2.1	晴	57
	14:00~15:00	101.5	20.4	南风	1.9	晴	31
2025.11.29 ~ 2025.11.30	20:00~21:00	101.5	12.3	西风	1.6	晴	38
	02:00~03:00	101.5	10.5	西风	1.5	晴	78
	08:00~09:00	101.5	12.1	西风	1.4	晴	75
	14:00~15:00	101.5	20.9	西风	1.6	晴	26
2025.11.28 ~ 2025.11.29	20:00~次日 20:00	101.7	11.0	南风	2.1	晴	39
2025.11.29 ~ 2025.11.30	20:00~次日 20:00	101.5	12.3	西风	1.6	晴	38

浦田村点位							
监测日期	监测时间	大气压 (kPa)	温度 (°C)	风向	风速 (m/s)	天气状况	湿度 (%RH)
2025.11.28 ~ 2025.11.29	20:00~21:00	101.7	11.0	南风	2.0	晴	38
	02:00~03:00	101.6	8.3	南风	2.0	晴	81
	08:00~09:00	101.6	9.9	南风	2.1	晴	57
	14:00~15:00	101.5	20.4	南风	1.9	晴	30
2025.11.29 ~ 2025.11.30	20:00~21:00	101.5	12.3	西风	1.6	晴	39
	02:00~03:00	101.5	10.5	西风	1.5	晴	78
	08:00~09:00	101.5	12.1	西风	1.4	晴	75
	14:00~15:00	101.5	21.0	西风	1.6	晴	25
2025.11.28 ~ 2025.11.29	20:00~次日 20:00	101.7	11.0	南风	2.0	晴	38
2025.11.29 ~ 2025.11.30	20:00~次日 20:00	101.5	12.3	西风	1.6	晴	39